




MIRA EXPRESS

- Broadcast Instant Replay and Clip server
- 4 continuous capture inputs
- Native Dashboard API

GRAPHITE | RAVE

- Software License Upgrade Path Up to 2 ME, 4 MiniME, with 4 DVE's, and 2 Chroma Keys
- Ross Talk and Native Dashboard API
- Stream Deck Support

XPression Graphics

- Broadcast Quality Graphics
- Datalog Server – JSON, XML, RS232, IP statistics interface
- Ross Talk and Native Dashboard API
- Stream Deck Support

DashBoard Control System


- Custom, easy to use interface for operation
- Ross Talk and Native API for Ross products

PIVOTCam | Cambot | ACID

- Ross Pivot PTZ camera
- Cambot PTZ Heads with Tracking for Augmented Reality and Virtual Sets
- ACID Camera 4:4:4 For Virtual sets, Green Screen
- Ross Talk and Dashboard API

openGear and Infrastructure

- Open 20 slot card frame allows for 3rd party cards
- Native Dashboard API and Ross Talk



MIRA EXPRESS

- Broadcast Instant Replay and Clip server
- 4 continuous capture inputs
- Native Dashboard API

Carbonite Ultra

- UHD Upgrade Path
- 8 to 24 Frame Syncs
- Up to 3 ME, 4 MiniME, with 8 DVE's, and 2 Chroma Keys
- Ross Talk and Native Dashboard API
- Stream Deck Support

XPression Graphics

- Broadcast Quality Graphics
- Datalog Server – JSON, XML, RS232, IP statistics interface
- Ross Talk and Native Dashboard API
- Stream Deck Support

DashBoard Control System


- Custom, easy to use interface for operation
- Ross Talk and Native API for Ross products

PIVOTCam | Cambot | ACID

- Ross Pivot PTZ camera
- Cambot PTZ Heads with Tracking for Augmented Reality and Virtual Sets
- ACID Camera 4:4:4 For Virtual sets, Green Screen
- Ross Talk and Dashboard API

openGear and Infrastructure

- Open 20 slot card frame allows for 3rd party cards
- Native Dashboard API and Ross Talk



MIRA EXPRESS

- Broadcast Instant Replay and Clip server
- 4 continuous capture inputs
- Native Dashboard API

Carbonite Ultra

- UHD Upgrade Path
- 8 to 24 Frame Syncs
- Up to 3 ME, 4 MiniME, with 8 DVE's, and 2 Chroma Keys
- Ross Talk and Native Dashboard API
- Stream Deck Support

Ultrix Routing Platform

- Software defined Broadcast Router
- Audio Embedding/De embedding and Processing
- 100 PIP Multiviewer
- Ross Talk and Native Dashboard API

XPression Graphics

- Broadcast Quality Graphics
- Datalog Server – JSON, XML, RS232, IP statistics interface
- Ross Talk and Native Dashboard API
- Stream Deck Support

DashBoard Control System


- Custom, easy to use interface for operation
- UltraTouch for Compact fast operation
- Ross Talk and Native API for Ross products

PIVOTCam | Cambot | ACID

- Ross Pivot PTZ camera
- Cambot PTZ Heads with Tracking for Augmented Reality and Virtual Sets
- ACID Camera 4:4:4 For Virtual sets, Green Screen
- Ross Talk and Dashboard API

openGear and Infrastructure

- Open 20 slot card frame allows for 3rd party cards
- Master Clock with optional failover switching
- Native Dashboard API and Ross Talk



MIRA EXPRESS

- Broadcast Instant Replay and Clip server
- 4 continuous capture inputs
- Native Dashboard API

Carbonite Ultra

- UHD Upgrade Path
- 8 to 24 Frame Syncs
- Up to 3 ME, 4 MiniME, with 8 DVE's, and 2 Chroma Keys
- Ross Talk and Native Dashboard API
- Stream Deck Support

Ultrix Routing Platform

- Software defined Broadcast Router
- Audio Embedding/De embedding and Processing
- 100 PIP Multiviewer
- Ross Talk and Native Dashboard API

XPression Graphics

- Broadcast Quality Graphics
- Datating Server – JSON, XML, RS232, IP statistics interface
- Ross Talk and Native Dashboard API
- Stream Deck Support

DashBoard Control System


- Custom, easy to use interface for operation
- UtriTouch for Compact fast operation
- Ross Talk and Native API for Ross products

PIVOTCam | Cambot | ACID

- Ross Pivot PTZ camera
- Cambot PTZ Heads with Tracking for Augmented Reality and Virtual Sets
- ACID Camera 4:4:4 For Virtual sets, Green Screen
- Ross Talk and Dashboard API

openGear and Infrastructure

- Open 20 slot card frame allows for 3rd party cards
- Master Clock with optional failover switching
- Native Dashboard API and Ross Talk



MIRA+ | TRIA EXPRESS

- Broadcast Instant Replay and Clip server
- 6-12 continuous capture inputs
- 2-3 Clip Channels
- Native Dashboard API

Acuity Production Switcher

- UHD Upgrade Path
- Frame Syncs on every input
- Up to 6.5 ME, each with 16 DVE's, and 2 Chroma Keys
- Ross Talk and Native Dashboard API

Ultrix Routing Platform

- Software defined Broadcast Router
- Audio Embedding/De embedding and Processing
- 100 PIP Multiviewer
- Ross Talk and Native Dashboard API

XPression Graphics

- Broadcast Quality Graphics
- Datalog Server – JSON, XML, RS232, IP statistics interface
- Ross Talk and Native Dashboard API
- Stream Deck Support

DashBoard Control System

- Custom, easy to use interface for operation
- UtriTouch for Compact fast operation
- Ross Talk and Native API for Ross products

PIVOTCam | Cambot | ACID

- Ross Pivot PTZ camera
- Cambot PTZ Heads with Tracking for Augmented Reality and Virtual Sets
- ACID Camera 4:4:4 For Virtual sets, Green Screen
- Ross Talk and Dashboard API

openGear and Infrastructure

- Open 20 slot card frame allows for 3rd party cards
- Master Clock with optional failover switching
- Native Dashboard API and Ross Talk